



AN ISO9001:2008 CERTIFIED


**POWERTEK**  
ENTERPRISES

PARTNER TO YOUR SUCCESS



Rubber Moulds...

**Creating brands with  
the finest rubber moulds...**





**T1 BIG BUBBLES**

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg


**T2 SCALE MODEL**

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.4 kg


**T3 SMALL SQUARE**

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.4 kg


**T4 PAYA**

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg


**T5 CHAKRA**


1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.4 kg


**T6 ELAGENT**

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg


**T7 FANTASY**

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg


**T8 SOLAR**

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg


**T9 AULTO**

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.4 kg


**T10 CHEEKERS**

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg


**T11 STEP TILE**

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg


**T12 RAISER**

Size : 12 x 6  
Approx. Wt. : 1.8 kg


**T13 FLOWER**

1 Sq. Ft. Floor Tiles (1+1)  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.4 kg


**T14 DEEPAM**

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg


**T15 PEARL ROCK**

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg



**T16 OCTOVIA**

0.73 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 137 Nos  
Approx. Wt. : 2 kg



### GOPY

0.9. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 111 Nos  
Approx. Wt. : 1.9 kg



### BIG BUTTON

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 111 Nos  
Approx. Wt. : 2.4 kg



### COMPUTER II

1 Sq. Ft. Floor Tiles (1+1)  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.2 kg



### BUBBLES

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg



### PLANE

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5kg



### ACCUPUNCTURE

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.4 kg



### STAR

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg



### BIG SQUARE

1 Sq. Ft. Floor Tiles (300 x300)  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg



### LOTUS

1 Sq. Ft. Floor Tiles (1+1)  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.4 kg



### CHIPPY

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg



### MATE

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.4 kg



### COMPUTER I

1 Sq. Ft. Floor Tiles (1+1)  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.2 kg



### NICOLAS

1 Sq. Ft. Floor Tiles (1+1)  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg



### S TYPE

0.7 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 143 Nos  
Approx. Wt. : 2 kg



### DELTA II

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.4 kg




### UNIVERSE

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.4 kg



**T33 CAPSULE**

1sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg



**T34 CADBERRY**

1 Sq. Ft. Floor Tiles (300 X300)  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg



**T35 CEILING TILE**

Size: 9x9 - 10x10  
(16mm Thick, 20mm Thick)  
Approx. Wt. : 1.250, 1.400 kg



**T36 5 SQUARE**

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.5 kg



**T37 SINO**

1 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt. : 2.4kg



**TH1 SMART I**

Thuvanam



**TH1 SMART I**

Thuvanam



**B2 CRAZY I**



**P63 CRAZY II**



**B1 BOARD**




**W1 WALL TILE**



**W2 BEADING**



**RT ROOFING TILE**



**P60 COVERING BLOCK**

A 25 Cavity (2.2 kg)  
B 36 Cavity (2.3 kg)



**P 144 GRASS PAVER**

Size: 15" x 15"  
60mm Height  
Approx. Wt. : 6.5 kg



**P 145 CURB STONE**

Size: 450mm x 300mm  
100/125/150 mm Thick  
Approx. Wt. : 9.5 kg, 10.5 kg, 12 kg



**P 146 GARDEN ROCK**

Size: 18" x 18"  
2.25 Sq. Ft. Thickness 70 mm  
Req. Mould for 100 Sq. Ft.: 44 Nos  
Approx. Wt.: 7.8 kg



**P 147 DIANA**

Size: 10" x 10"  
0.89 Sq. Ft. Floor Tiles  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 2.9 kg

**P1 ARCH I**

0.5 Sq. Ft. Paver  
80mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.2 kg

**P2 ARCH II**

0.5 Sq. Ft. Paver  
80mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.2 kg

**P3 CLASS DUMBEL**

0.69 Sq. Ft. Paver  
80mm Height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 2.5 kg

**P4 DUMBEL I**

0.68 Sq. Ft. Paver  
80mm Height  
Req. Mould for 100 Sq. Ft.: 147 Nos  
Approx. Wt.: 2.5 kg

**P5 DUMBEL II**

0.69 Sq. Ft. Paver  
80mm Height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 2.6 kg

**P6 HALF ROUND**

0.38 Sq. Ft. Paver  
80mm Height  
Req. Mould for 100 Sq. Ft.: 263 Nos  
Approx. Wt.: 2 kg

**P7 HUTCH**

0.48 Sq. Ft. Paver  
80mm Height  
Req. Mould for 100 Sq. Ft.: 208 Nos  
Approx. Wt.: 2.2 kg

**P8 CLAVER**

0.4 Sq. Ft. Paver  
80mm Height  
Req. Mould for 100 Sq. Ft.: 250 Nos  
Approx. Wt.: 1.8 kg

**P9 CLASSIC HUTCH**

0.5 Sq. Ft. Paver  
80mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.6 kg

**P10 AXE I**

0.4 Sq. Ft. Paver  
80mm Height  
Req. Mould for 100 Sq. Ft.: 250 Nos  
Approx. Wt.: 2.2 kg

**P11 AXE II**


0.4 Sq. Ft. Paver  
80mm Height  
Req. Mould for 100 Sq. Ft.: 250 Nos  
Approx. Wt.: 2.2 kg

**P12 AXE III**


0.4 Sq. Ft. Paver  
80mm Height  
Req. Mould for 100 Sq. Ft.: 250 Nos  
Approx. Wt.: 2.2 kg

**P13 CLASSIC AXE**


0.4 Sq. Ft. Paver  
80mm Height  
Approx. Wt.: 2.2 kg

**P14 CHILD I**

0.54 Sq. Ft. Paver  
80mm Height  
Approx. Wt.: 2.6 kg

**P15 CHILD II**

0.54 Sq. Ft. Paver  
80mm Height  
Approx. Wt.: 2.6 kg


**P16 KOOJA**

0.45 Sq. Ft. Paver  
80mm Height  
Approx. Wt.: 2.2 kg




**P17 CLASSIC KOOJA**

0.69 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 2.5 kg



**P18 I MODEL**

0.38 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 263 Nos  
Approx. Wt.: 2.2 kg



**P19 I MODEL 1**

0.35 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 286 Nos  
Approx. Wt.: 1.8 kg



**P20 WAVE**

0.38 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 263 Nos  
Approx. Wt.: 2.2 kg



**P21 PEA COCK**

0.5 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.6 kg



**P22 SCORPIO**

0.56 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 178 Nos  
Approx. Wt.: 2.4 kg



**P23 ZIGZAG**

0.5 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 3 kg



**P24 ZIGZAG 80**

0.33 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 303 Nos  
Approx. Wt.: 2.4 kg




**P25 ROCK**

0.5 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.2 kg



**P26 BOAT MODEL**

0.56 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 178 Nos  
Approx. Wt.: 2.4 kg



**P27 GRAPES**

0.56 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 179 Nos  
Approx. Wt.: 2 kg



**P28 HEXOGON**

0.7 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 143 Nos  
Approx. Wt.: 2.5 kg



**P29 3D LINE**

0.7 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 143 Nos  
Approx. Wt.: 2.5 kg



**P30 SUN FLOWER**

0.8 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 125 Nos  
Approx. Wt.: 2.9 kg



**P31 SWIFT**

0.45 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 222 Nos  
Approx. Wt.: 2 kg




**P32 BENZ**

0.8 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 125 Nos  
Approx. Wt.: 2.9 kg



### CLASSIC BRICK

Size: 8"x8"  
0.44 Sq. Ft. Paver  
Req. Mould for 100 Sq. Ft.: 227 Nos  
Approx. Wt.: 2.2 kg



4" x 4"

### CLASSIC BRICK

Size: 8"x 4"  
0.22 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 455 Nos  
Approx. Wt.: 1.6 kg



### CLASSIC BRICK

Size: 8" x 9"  
0.5 Sq.Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.6 kg



### CLASSIC BRICK

Size: 8" x 5"  
0.27 Sq.Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 370 Nos  
Approx. Wt.: 1.8 kg



### CLASSIC BRICK

Size: 8"x10"  
0.56 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 179 Nos  
Approx. Wt.: 2.7 kg



### CLASSIC BRICK

Size: 8"x8"  
0.44 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 227 Nos  
Approx. Wt.: 2.2 kg



### CLASSIC BRICK

Size: 8"x4"  
0.44 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 227 Nos  
Approx. Wt.: 1.6 kg




### DIAMOND BRICK

Size: 8"x8"  
0.44 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 227 Nos  
Approx. Wt.: 2.2 kg



### DIAMOND BRICK

Size: 8"x4"  
0.44 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 227 Nos  
Approx. Wt.: 1.6 kg



### DIAMOND BRICK

Size: 8"x9"  
0.5 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.6 kg



### DIAMOND BRICK

Size: 8"x5"  
0.5 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 1.8 kg



### DIAMOND BRICK III

Size: 6"x6"  
0.25 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 400 Nos  
Approx. Wt.: 2.5 kg (2 cavity)



### SATNDARD I

Size: 12"x6"  
0.5 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.4 kg



### SATNDARD II

Size: 10"x5"  
0.35 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 286 Nos  
Approx. Wt.: 2 kg




### SATNDARD III

Size: 6"x6"  
0.25 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 400 Nos  
Approx. Wt.: 2.5 kg (2 cavity)



### WESTERN ROCK

Size: 12"x6"  
0.58 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 172 Nos  
Approx. Wt.: 2.8 kg



### HONDA

0.56 Sqft. Paver (1+1)  
60mm Height  
Req. Mould for 100 Sq. Ft.: 178 Nos  
Approx. Wt.: 2.5 kg



### DIAMOND BRICK II

Size: 12"x 6"  
0.5 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



### GRAPHIC

Size: 12" x 6"  
0.5 Sq.Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



### PLAIN ROCK

Size: 12" x 6"  
0.5 Sq.Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



### PLAIN ROCK

Size: 6"x6"  
0.25 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 400 Nos  
Approx. Wt.: 2.5 kg (2 cavity)



### SATNDARD IV

Size: 12"x8"  
0.66 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 152 Nos  
Approx. Wt.: 2.8 kg



### SATNDARD V

Size: 6"x8"  
0.33 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 300 Nos  
Approx. Wt.: 2 kg




### WALL ROCK

Size: 9"x9"  
0.56 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 178 Nos  
Approx. Wt.: 2.4 kg



4.5X4.5



4.5X9

### WALL ROCK

0.14 Sq. Ft. Paver (0.28)  
60mm Height  
Req. Mould for 100  
Sq. Ft.: 714 (357) Nos  
Approx. Wt.: 1.8 kg (2 cavity)



### 10X10 STAR

0.69 Sqft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 2.8 kg



### 10x5 STAR

0.35 Sq. Ft. Paver  
60MM height  
Req. Mould for 100 Sq. Ft.: 286 Nos  
Approx. Wt.: 2 kg



### OOTY ROCK

Size: 10"x10"  
0.69 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 3 kg



### ZIGZAG CHECK

0.34 Sq. Ft. Paver  
80mm Height  
Req. Mould for 100 Sq. Ft.: 294 Nos  
Approx. Wt.: 2.3 kg



### SURYA

0.5 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



### ROYAL DUMBEL

0.5 Sq. Ft. Paver  
60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.2 kg



### WAVE II

0.38 Sqft. Paver  
60MM height  
Req. Mould for 100 Sq. Ft.: 263 Nos  
Approx. Wt.: 2.4 kg

**P66 CURB STONE**

8X10 Size  
Approx. Wt.: 3.3 kg

**P67 PLAIN ROCK II**

Size: 10"x 5"  
0.35 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 286 Nos  
Approx. Wt.: 2 kg

**P68 PLAIN ROCK III**

Size: 5" x 5"  
0.17 Sq.Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 588 Nos  
Approx. Wt.: 2.2 kg

**P69 DUMBEL VI**


0.5 Sq.Ft. Paver, 30mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 1.8 kg

**P61 ARCH ROCK**

0.5 Sqft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg

**P62 ARCH III**

0.5 Sqft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.4 kg

**P63 HERO**

0.6 Sqft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 167Nos  
Approx. Wt.: 2.7 kg

**P64 BIG DUMBEL**

0.69 Sqft. Paver (1+1)  
60mm Height  
Req. Mould for 100 Sq. Ft.: 145Nos  
Approx. Wt.: 2.5 kg

**P65 SQUARE ROCK**

Size: 8" x 8"  
0.44 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 227 Nos  
Approx. Wt.: 2.2 kg

**P66 MARBLE ROCK**

Size: 9"x9"  
0.56 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 178 Nos  
Approx. Wt.: 2.4 kg

**P67 T ROCK**

0.5 Sq. Ft. Paver  
60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.4 kg

**P69 BRICK STONE**


Size: 10"x10"  
0.69 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 3 kg

**P70 GRAPHIC ROCK II**

Size: 8" x 10"  
0.58 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 178 Nos  
Approx. Wt.: 2.7 kg

**P71 GRAPHIC ROCK III**

Size: 8" x 4"  
0. 22 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 454 Nos  
Approx. Wt.: 1.6 kg

**P73 HERO II**

0.6 Sq. Ft. Paver (1+1)  
60MM height  
Req. Mould for 100 Sq. Ft.: 167 Nos  
Approx. Wt.: 2.7 kg

**P74 FORTUNE**

Size: 12"x6"  
0.5 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



**P75 TORTOISE**

Size: 8" x 8"  
0.44 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 227 Nos  
Approx. Wt.: 2.2 kg



**P76 NATURAL ROCK**

Size: 10" x 10"  
0.69 Sq. Ft. Paver, 60/80mm Height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 2.9/3.7 kg




**P77 NATURAL ROCK**

Size: 10" x 5"  
0.35 Sq. Ft. Paver, 60/80mm Height  
Req. Mould for 100 Sq. Ft.: 286 Nos  
Approx. Wt.: 2/2.5 kg



**P78 NATURAL ROCK**

Size: 5" x 5"  
0.17 Sq. Ft. Paver, 60/80mm Height  
Req. Mould for 100 Sq. Ft.: 588 Nos  
Approx. Wt.: 2.2/ 2.5 kg



**P79 FORTUNE II**

Size: 10" x 10"  
0.69 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 3 kg



**P80 TORTOISE**

Size: 10" x 10"  
0.69 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 3 kg



**P81 CUTTING ROCK**

Size: 12" x 6"  
0.60 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



**P83 CHECK ROCK**

Size: 12" x 6"  
0.50 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



**P84 WAULT LINE**

Size: 8" x 16" / 7" x 14"  
0.89 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 112 Nos  
Approx. Wt.: 3.9, 3 kg



**P85 CAMBODIA**

Size: 9" x 4.5"  
0.28 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 357 Nos  
Approx. Wt.: 2 kg



**P85 PAYA MODEL**

Size: 12" x 6"  
0.5 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



**P86 VAYALIN**

Size: 9" x 4.5"  
0.28 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 357 Nos  
Approx. Wt.: 2 kg



**P87 DIAMOND BRICK**

Size: 10" x 5"  
0.35 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 286 Nos  
Approx. Wt.: 2.2 kg



**P88 SPENTEX**

Size: 10" x 5"  
0.35 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 286 Nos  
Approx. Wt.: 2.2 kg



**P89 SPIDER**

Size: 10" x 8"  
0.56 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 179 Nos  
Approx. Wt.: 2.7 kg



**P90 SPIDER**

Size: 10" x 5"  
0.35 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 286 Nos  
Approx. Wt.: 2 kg



**P91 SPIDER**

Size: 8"x 5"  
0.28 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 357 Nos  
Approx. Wt.: 2.8 kg



**P92 BUTTERFLY**

0.75 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 133 Nos  
Approx. Wt.: 2.9 kg



**P93 GRAPHIC**

Size: 6" x 6"  
0.25 Sq.Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 400 Nos  
Approx. Wt.: 2.5kg (2 cavity)



**P94 V MODEL**

0.38 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 263 Nos  
Approx. Wt.: 2.2 kg



**P96 STAR**

Size: 8"x 8"  
0.44 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 227 Nos  
Approx. Wt.: 2.2 kg




**P97 STAR**

Size: 8"x 4"  
0.22 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 454 Nos  
Approx. Wt.: 1.6 kg



**P98 MOSAIC MODEL**

Size: 20"x 10"  
1.39 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 72 Nos  
Approx. Wt.: 6 kg




**P95 3D BOX**

0.7 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 143 Nos  
Approx. Wt.: 3 kg



**P99 HONEY**

0.69 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 2.8 kg



**P102 JACKPOT**



**P100 CLASSIC I MODEL I**

0.38 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 263 Nos  
Approx. Wt.: 2.2 kg



**P101 ZIGZAG III**

0.34 Sq. Ft. Paver  
60/80 mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



**P102 JACKPOT**

Size: 7"x 5"  
0.24 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 417 Nos  
Approx. Wt.: 1.6 kg



**P102 JACKPOT**

Size: 7" x 7"  
0.34 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 294 Nos  
Approx. Wt.: 1.8 kg



**P102 JACKPOT**

Size: 12" x 7"  
0.5 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.7 kg



**P103 3D DIAMOND**

0.5 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



**P 104 CAPSULE PAVER**

Size: 12" x 6"  
0.5 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



**P 105 SOLAR PAVER**

Size: 12" x 6"  
0.5 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



**P 106 ZIGZAG LINE**

0.33 Sq. Ft. Paver  
80mm Height  
Req. Mould for 100 Sq. Ft.: 303 Nos  
Approx. Wt.: 2.4 kg



**P 107 ZIGZAG CLASSIC**

0.33 Sq. Ft. Paver  
80/60 mm Height  
Req. Mould for 100 Sq. Ft.: 303 Nos  
Approx. Wt.: 2.4, 2 kg



**P 108 ZIGZAG II**

0.33 Sq. Ft. Paver  
60/45 mm Height  
Req. Mould for 100 Sq. Ft.: 303 Nos  
Approx. Wt.: 2, 1.8 kg



**P 109 CLASSIC SAFARI**

Size: 8" x 11"  
0.61 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 164 Nos  
Approx. Wt.: 2.8 kg



**P 109 CLASSIC SAFARI**

Size: 8" x 7"  
0.39 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 256 Nos  
Approx. Wt.: 1.8 kg



**P 110 CLASSIC SAFARI**

Size: 8" x 9"  
0.5 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.6 kg



**P 110 CLASSIC SAFARI**

Size: 8" x 5"  
0.28 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 357 Nos  
Approx. Wt.: 1.8 kg



**P 111 VOLVO**

0.75 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 133 Nos  
Approx. Wt.: 3 kg



**P 112 TEMPLE**

Size: 12" x 7"  
0.58 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 172 Nos  
Approx. Wt.: 2.8 kg



**P 113 REVALDA**

Size: 9" x 4.5"  
0.28 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 357 Nos  
Approx. Wt.: 1.9 kg



**P 114 TRIANGLE**

0.45 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 222 Nos  
Approx. Wt.: 2 kg



**P 116 CURB STONE**

Size: 12" x 15"  
60MM height  
Approx. Wt.: 4.5 kg



**P 117 ARABIAN**

Size: 11" x 8"  
0.61 Sq. Ft. Paver  
Req. Mould for 100 Sq. Ft.: 164 Nos  
Approx. Wt.: 2.8 kg



**P 117 ARABIAN II**

Size: 7" x 8"  
0.39 Sq. Ft. Paver, 60mm height  
Req. Mould for 100 Sq. Ft.: 256 Nos  
Approx. Wt.: 1.8 kg



**P 118 SWAMP BRICK**

Size: 10" x 10"  
0.69 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 3 kg



**P 119 PYRAMID**

0.5 Sq. Ft. Paver  
60mm Height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.6 kg



**P 120 SHINING ROCK**

Size: 10" x 10"  
0.69 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 3 kg



**P 121 NATURAL ROACK**

Size: 12" x 7"  
0.58 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 2.8 kg



**P 122 JAGUAR**

0.6 Sq. Ft. Paver  
60 mm Height  
Req. Mould for 100 Sq. Ft.: 167 Nos  
Approx. Wt.: 2.8 kg



**P 123 VENUS**

0.33 Sq. Ft. Paver  
60 mm Height  
Req. Mould for 100 Sq. Ft.: 130 Nos  
Approx. Wt.: 2.2 kg



**P 127 ZEBRA**

0.48 Sq. Ft. Paver  
60 mm Height  
Req. Mould for 100 Sq. Ft.: 208 Nos  
Approx. Wt.: 2.4 kg



**P 124 CLASSIC PLANE**

Size: 10" x 10"  
0.69 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 3 kg



**P 125 COMPO BRICK I**

Size: 10" x 10"  
0.69 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 2.8 kg



**P 126 COMPO BRICK II**

Size: 10" x 5"  
0.35 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 288 Nos  
Approx. Wt.: 2.2 kg



**P 128 COMPO BRICK III**

Size: 5" x 5"  
0.17 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 588 Nos  
Approx. Wt.: 2.2 kg



**P 128 WOOD CURVE I**

Size: 6" x 6"  
0.25 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 400 Nos  
Approx. Wt.: 1.8 kg



**P 129 WOOD CURVE II**

Size: 6" x 6"  
0.25 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 400 Nos  
Approx. Wt.: 1.8 kg



**P 130 PIANO**

Size: 8" x 5.25"  
0.29 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 345 Nos  
Approx. Wt.: 2 kg



**P 131 DURO**

Size: 6" x 6"  
0.25 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 400 Nos  
Approx. Wt.: 2.5 kg (2 cavity)



**P 132 DUROCOM I**

Size: 8" x 16"  
0.89 Sq. Ft. Paver, 60mm Height  
Req. Mould for 100 Sq. Ft.: 112 Nos  
Approx. Wt.: 3.9 kg



**P 145 RUBY**

Size: 8"x 8" Hitching model  
0.44 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 227 Nos  
Approx. Wt.: 2.1 kg



**P 146 ROYAL**

Size: 12"x12"  
1 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt.: 3.5 kg



**P 147 PEARL**

Size: 12"x12"  
1 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt.: 3.6 kg




**P 148 SUN ROCK**

Size: 12"x 6"  
0.5 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



**P 149 CLASSIC LANE**

Size: 12"x 6"  
0.5 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



**P 150 UNILOCK**

Size: 10"x 4" Double cavity  
0.28 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 179 Nos  
Approx. Wt.: 3.1 kg



**P 151 RAZOR**

Size: 12"x 2.5" Double cavity  
0.17 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 294 Nos  
Approx. Wt.: 2.2 kg



**P 152 UNSHAPE**

0.32 Sq. Ft. Paver, 60MM height  
Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 313 Nos  
Approx. Wt.: 2 kg



**P 153 JO BRICKS 1**

Size: 8"x 5"  
0.28 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 357 Nos  
Approx. Wt.: 1.6 kg



**P 154 JO BRICKS 2**

Size: 6"x 5" Double cavity  
0.21 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 238 Nos  
Approx. Wt.: 2.1 kg



**P 155 JO BRICKS 3**

Size: 4"x 5" Double cavity  
0.14 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 357 Nos  
Approx. Wt.: 1.7 kg



**P 156 PEACH**

Size: 12"x 18"  
1.5 Sq. Ft. Paver, 70MM height  
Req. Mould for 100 Sq. Ft.: 67 Nos  
Approx. Wt.: 5.8 kg




**P 157 SHEPHERD**

Size: 10"x 10"  
0.69 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 3.1 kg



**P 158 STONE COBBLE**

Size: 4.5"x 4.5" Double Cavity  
0.14 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 714 Nos  
Approx. Wt.: 1.8 kg



**P 159 CHESS BOARD**

Size: 11"x 8"  
0.61 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 164 Nos  
Approx. Wt.: 2.7 kg



**P 160 WOOD MODEL**

Size: 12"x 6"  
0.5 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



**P 161** **UNIQUE**

Size: 8"x 4"  
0.22 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 1.5 kg



**P 162** **CLASSIC**

Size: 12"x12"  
1 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 3.5 kg



**P 163** **CLASSIC**

Size: 12"x 6"  
0.5 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.4 kg



**P 164** **CLASSIC**

Size: 6"x 6" Double cavity  
0.25 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.5 kg



**P 165** **ROCK**

Size: 8"x 8"  
0.44 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2 kg



**P 166** **ROCK**

Size: 8"x 8"  
0.44 Sq. Ft. Paver, 80MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.4 kg



**P 167** **ROCK STAR**

Size: 8"x 8"  
0.44 Sq. Ft. Paver, 80MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.3 kg



**P 168** **CLASSIC RADIUS**

Size: 12"x 6"  
0.5 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.4 kg



**P 169** **PARA**

Size: 10"x 10"  
0.69 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 3 kg




**P 170** **WALL TILE**

Size: 10"x 2.5" Four cavity  
.17 Sq. Ft. Paver, 16MM thickness  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 1.7 kg



**P 171** **ROOF TILE**

Size: 9"x 9" Roof Tile  
0.56 Sq. Ft. Paver, 16MM thickness  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 1.4 kg



**P 172** **ROOF TILE**

Size: 10"x 10" Roof Tile  
0.69 Sq. Ft. Paver, 16MM thickness  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 1.5 kg



**P 173** **SAPPHIRE**

Size: 7.5"x 7.5"  
0.39 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 256 Nos  
Approx. Wt.: 2 kg



**P 174** **SAPPHIRE**

Size: 15"x 7.5"  
0.78 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 128 Nos  
Approx. Wt.: 3.5 kg



**P 175** **DEZIRE**

Size: 8"x 4" Double Cavity  
0.22 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 228 Nos  
Approx. Wt.: 2.45 kg



**P 176** **DEZIRE**

Size: 9"x 4.5"  
0.28 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 357 Nos  
Approx. Wt.: 1.6 kg



### SAND ROCK

Size 9" x 9"  
0.56 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 179 Nos  
Approx. Wt.: 2.7 kg



### I MODEL

0.3 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 333 Nos  
Approx. Wt.: 2.2 kg



### TIK TOK

Size: 10" x 10"  
0.68 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 3 kg



### FAN TYPE

0.3 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 333 Nos  
Approx. Wt.: 1.8kg



### REAL ROCK

Size: 12" x 7"  
0.58 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 172 Nos  
Approx. Wt.: 2.8 kg



### ROCK GRIANS

Size: 8" x 8"  
0.44 Sq. Ft. Paver, 60/80MM height  
Req. Mould for 100 Sq. Ft.: 227 Nos  
Approx. Wt.: 2.2, 2.5 kg



### ROCK GRIANS

Size: 8" x 4"  
0.22 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 455 Nos  
Approx. Wt.: 1.6 kg



### ROCK GRIANS

Size: 4" x 4" Double cavity  
0.11 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 455 Nos  
Approx. Wt.: 1.8 kg



### STEP ROCK

Size: 12" x 8"  
0.67 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 149 Nos  
Approx. Wt.: 2.8 kg



### SUGAR

Size: 12" x 6"  
0.5 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.4 kg



### SUGAR

Size: 6" x 6"  
0.25 Sq. Ft. Paver, 60MM height  
Req. Mould for 100 Sq. Ft.: 200 Nos  
Approx. Wt.: 2.6 kg



### SANDAL ROCK

Size: 10" x 10"  
0.69 Sq. Ft. Paver, 55MM height  
Req. Mould for 100 Sq. Ft.: 145 Nos  
Approx. Wt.: 2.7 kg



### VINAYAKA

Size: 12"x12" (300 x300)  
1 Sq. Ft. Paver, 28MM height  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt.: 2.5 kg



### GLASS BRICK

Size: 12"x12"(300x 300)  
1 Sq. Ft. Paver, 28MM height  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt.: 2.5 kg



### SIGMA

Size: 12" x 12"(300 x 300)  
1 Sq. Ft. Paver, 28MM height  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt.: 2.5 kg



### RAINBOW

Size: 300 x 300  
1 Sq. Ft. Paver, 28MM height  
Req. Mould for 100 Sq. Ft.: 100 Nos  
Approx. Wt.: 2.5 kg



**CLASSIC LINE**

Zig zag  
0.33 Sq. Ft. Paver, 80MM height  
Req. Mould for 100 Sq. Ft.: 303 Nos  
Approx. Wt.: 2.45 kg




**PLANET**

Size: 8"x 4" Double cavity  
0.22 Sqft. Paver  
Req. Mould for 100 Sq. Ft.: 228 Nos  
Approx. Wt.: 2.6 kg



**NAKSHATHRA**





AN ISO9001-2008 CERTIFIED

**POWERTEK**  
ENTERPRISES

PARTNER TO YOUR SUCCESS



GST: 32ADGPH0276C1Z7

Desasevini Junction, Pattazhy Kollam, Kerala, India - 691522

[www.powertekenterprise.com](http://www.powertekenterprise.com) | Ph:04752966262,8593856262

[|powertek.enterprise@gmail.com](mailto:powertek.enterprise@gmail.com)